


















Serienübersicht

Serie P43

	listing	range	outputs	setting	wiring	housing	
	P43-O4V-2D-001-80E	min. 600 max. 6000	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-T4V-2D-001-130E	min. 300 max. 3500	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-001-180E	min. 200 max. 2000	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-001-220E	min. 80 max. 1600	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-001-300E	min. 100 max. 800	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-001-330E	min. 60 max. 500	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-001-360E	min. 30 max. 400	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-T4Y-2D-001-130E	min. 300 max. 3500	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-001-180E	min. 200 max. 2000	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-001-220E	min. 80 max. 1600	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-001-300E	min. 100 max. 800	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-001-330E	min. 60 max. 500	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-001-360E	min. 30 max. 400	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-G4V-2G-001-400E	min. 25 max. 200	Connec	Teac	1 Ausgang	Stainless steel	<input type="checkbox"/>
	P43-K4U-2G-001-400E	min. 25 max. 250	Connect	Teac	1 Ausgang	Plastic	<input type="checkbox"/>
	P43-O4V-2D-002-80E	min. 600 max. 6000	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-T4V-2D-002-130E	min. 300 max. 3500	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-002-180E	min. 200 max. 2000	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-002-220E	min. 80 max. 1600	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-002-300E	min. 100 max. 800	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>

	P43-F4V-2D-002-330E	min. 60 max. 500	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4V-2D-002-360E	min. 30 max. 400	Connec	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-T4Y-2D-002-130E	min. 300 max. 3500	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-002-180E	min. 200 max. 2000	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-002-220E	min. 80 max. 1600	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-002-300E	min. 100 max. 800	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-002-330E	min. 60 max. 500	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-002-360E	min. 30 max. 400	Cable	Teac	2 Ausgänge	Plastic	<input type="checkbox"/>
	P43-G4V-2G-002-400E	min. 25 max. 200	Connec	Teac	1 Ausgang	Stainless steel	<input type="checkbox"/>
	P43-K4U-2G-002-400E	min. 25 max. 250	Connect	Teac	1 Ausgang	Plastic	<input type="checkbox"/>
	P43-O4V-2D-1C0-80E	min. 600 max. 6000	Connec	Teac		Plastic	<input type="checkbox"/>
	P43-T4V-2D-1C0-130E	min. 300 max. 3500	Connec	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1C0-180E	min. 200 max. 2000	Connec	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1C0-220E	min. 80 max. 1600	Connec	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1C0-300E	min. 100 max. 800	Connec	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1C0-330E	min. 60 max. 500	Connec	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1C0-360E	min. 30 max. 400	Connec	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-T4Y-2D-1C0-130E	min. 300 max. 3500	Cable	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1C0-180E	min. 200 max. 2000	Cable	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1C0-220E	min. 80 max. 1600	Cable	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1C0-300E	min. 100 max. 800	Cable	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1C0-330E	min. 60 max. 500	Cable	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1C0-360E	min. 30 max. 400	Cable	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-K4U-2G-1C0-400E	min. 25 max. 250	Connect	Teac	0 - 10V	Plastic	<input type="checkbox"/>
	P43-O4V-2D-1D0-80E	min. 600 max. 6000	Connec	Teac	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-T4V-2D-1D0-130E		Connec	Teac	4 - 20mA	Plastic	<input type="checkbox"/>

		min. 300 max. 3500					
	P43-F4V-2D-1D0-180E	min. 200 max. 2000	Connec	Teac	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1D0-220E	min. 80 max. 1600	Connec	Teach-In	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1D0-300E	min. 100 max. 800	Connec	Teach-In	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1D0-330E	min. 60 max. 500	Connec	Teach-In	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4V-2D-1D0-360E	min. 30 max. 400	Connec	Teach-In	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-T4Y-2D-1D0-130E	min. 300 max. 3500	Cable	Teac	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1D0-180E	min. 200 max. 2000	Cable	Teach-In	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1D0-220E	min. 80 max. 1600	Cable	Teach-In	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1D0-300E	min. 100 max. 800	Cable	Teach-In	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1D0-330E	min. 60 max. 500	Cable	Teach-In	4 - 20mA	Plastic	<input type="checkbox"/>
	P43-F4Y-2D-1D0-360E	min. 30 max. 400	Cable	Teac	4 - 20mA	Plastic	<input type="checkbox"/>

[Zurück zur Serienübersicht](#)

[Imprint](#) - [AGB](#) - © 2008 PIL Sensoren GmbH, Erlensee - All rights reserved